No.



8300089

TO ME TO WHOM THESE PRESENTS SHALL COME;

Northrup King Co.

Colhereas, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-YEARS FROM THE DATE OF THIS GRANT, SUBJECT CANT(S) FOR THE TERM OF eighteen TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC beed of the variety in a public repository as provided by ${
m LAW}$, the right to ex-IDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, MPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT Y THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'S30-31'

In Lestimony Educacot, I have hexeunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington day of April this 30th

the year of our Lord one thousand nine hundred and eighty-four.

Attest

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE			FOI	FORM APPROVED: OMB NO. 0581-000			
LIVESTOCK, MEAT		No certificate for plant variety protection					
APPLICATION FOR PLANT VA	RIETY PROTE	ECTION CERTIFICATE	may catio 553)	be issued unless a completed appin form has been received (5 U.S.)			
1. NAME OF APPLICANT(S)		2. TEMPORARY DESIGNATION	v 3. v	ARIETY NAME			
Northrup King Co.		729178	9	30-31			
4. ADDRESS (Street and No. or R.F.D. No., City,	State, and Zip Code,	• •		FOR OFFICIAL USE ONLY			
P. O. Box 959			PVP	O NUMBER			
Minneapolis, MN 55440		612-781-8011		8300089			
6. GENUS AND SPECIES NAME	7. FAMILY NA	ME (Botanical)		DATE			
		· ·	FILING	3/28/83			
Clarging				TIME			
Glycine max	Legumi			9:30 X A.M. P.M.			
8. KIND NAME	9.	DATE OF DETERMINATION		AMOUNT FOR FILING			
Combons				DATE			
Soybeans		March, 1982	RECEIVED	3/28/83			
 IF THE APPLICANT NAMED IS NOT A "PER partnership, association, etc.) 	RSON," GIVE FORM	OF ORGANIZATION (Corporation)		AMOUNT FOR CERTIFICATE			
			EES	\$ _ 500.00			
Corporation	•	• •	"	4/10/84			
11. IF INCORPORATED, GIVE STATE OF INCO	RPORATION		12.	DATE OF INCORPORATION			
Delaware		1896					
13. NAME AND ADDRESS OF APPLICANT REP		ANY, TO SERVE IN THIS APPLI	CATION	AND RECEIVE ALL PAPERS			
Robert W. Rom	_			and the control of th			
Northrup King	Co.						
P. O. Box 959		· ·					
Minneapolis, 1				· · · · · · · · · · · · · · · · · · ·			
14. CHECK AFFROFRIATE BOX FOR EACH AT	TACHMENT SUBMI	TTED					
a. X Exhibit A, Origin and Breeding History of Section 52 of the Plant Variety Protection	f the Variety (See	c. Exhibit C, Objective from Plant Variety P	Descript	tion of the Variety (Request form			
			,01001101	. 033,166.7			
b. X Exhibit B, Novelty Statement		d. X Exhibit D, Additions	d Descri	ption of the Variety			
15. DOES THE APPLICANT(S) SPECIFY THAT S	EED OF THIS VAR	ETY BE SOLD BY VARIETY NAM	AE ONL	Y AS A CLASS OF CERTIFIED			
SEED? (See Section 83(a) of the Plant Variety	Protection Act.)	Yes (If "Yes," answe					
 DOES THE APPLICANT(S) SPECIFY THAT T LIMITED AS TO NUMBER OF GENERATION 	HIS VARIETY BE	17. IF "YES" TO ITEM 16, BEYOND BREEDER SE	WHICH	CLASSES OF PRODUCTION			
Yes No	'	Foundation		egistered Certified			
18. DID THE APPLICANT(S) FILE FOR PROTEC	TION OF THE VAR	IETY IN THE U.S. OR OTHER CO	UNTRIE	ES?			
				Yes (If "Yes," give name of countries and dates)			
				X No			
19. HAVE RIGHTS BEEN GRANTED IN THE U.S	. OR OTHER COUN	TRIES?		Yes (If "Yes," give name.			
				of countries and dates)			
				X No			
 The applicant(s) declare(s) that a viable sa plenished upon request in accordance with 	mple of basic seed such regulations :	s of this variety will be furnishe as may be applicable.	d with	the application and will be re-			
The undersigned applicant(s) is (are) the o distinct, uniform, and stable as required in Variety Protection Act.	wner(s) of this sex	ually reproduced novel plant va	riety, a ie provi	and believe(s) that the variety is isions of Section 42 of the Plant			
Applicant(s) is (are) informed that false re	presentation herei	n can jeopardize protection and	result	in penalties.			
SIGNATURE OF APPLICANT				ATE			
Hober W. Kon	us.			4/21/83			
SIGNATURE OF APPLICANT	0		D,	ATE			
				1			

FORM LMGS-470 (9-81) (Edition of 1-78 is obsolete)

EXHIBIT A

Origin and Breeding History of the Variety

- 1974-76 We made the cross 'B216' x 'Davis' and advanced the population to F_6 . We practiced mass-selection for Group IV or earlier maturity in the F_3 generation. In October, 1976, we selected 50 plants of Group IV or earlier maturity.
- We grew the 50 plant selections in F7 progeny rows. .
 We selected one of these, numbered 729178, on the basis of agronomic appearance to be tested in a pre-liminary Group III yield trial. This line was subsequently named S30-31.
- 1978-80 We tested \$30-31 in replicated yield trials at several corn belt locations and found it to yield well compared to other Group III varieties. We identified and confirmed the descriptive characteristics white flower color, grey pubescence color, tan pod color, yellow hilum color, and dull seed coat luster.

In 1980 we made a small increase of S30-31 from 500 grams of carefully hand-rogued seed. We removed all plants not conforming to the variety description by roguing the increase block several times. Growth and maturity were uniform.

1981-82 - We continued to test S30-31 in Advanced Group III yield trials to confirm performance, early Group III maturity, and descriptive characteristics.

We grew Breeder Seed of S30-31 from the small increase produced in 1980. The field was carefully rogued.

We produced Foundation Seed of S30-31 in 1982. The Iowa Crop Improvement Association inspected the production fields and found them to meet the requirements for Foundation Seed. S30-31 was accepted as eligible for Certification by the National Soybean Variety Review Board on December 9, 1982.

Variety S30-31 is stable and uniform. No variants have been observed in five years of yield testing and three years of seed increase of S30-31.

We will maintain varietal purity by use of progeny rows as needed.

EXHIBIT B

Novelty Statement for the Variety

Variety S30-31 is most similar to Pella, Cumberland, and Agripro AP25. It has grey pubescence color vs. tawny for Pella, yellow hilum color vs. imperfection black for Cumberland, and white flower color vs. purple for Agripro AP25.

EXHIBIT C
(Soybean)

U.S. DEPARTMENT OF AGRICULTURE AGRICULTURAL MARKETING SERVICE LIVESTOCK, MEAT, GRAIN & SEED DIVISION PLANT VARIETY PROTECTION OFFICE BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME
Nowthern Vine Co	700170	020.21
Northrup King Co. ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code	729178	S30-31 FOR OFFICIAL USE ONLY
P. O. Box 959		PVPO NUMBER
Minneapolis, MN 55440		8 300 089
Choose the appropriate response which characterizes the var in your answer is fewer than the number of boxes provided,	iety in the features described be place a zero in the first box w	pelow. When the number of significant digits hen number is 9 or less (e.g., 0 9).
1. SEED SHAPE:		
	i II	
[L] W	T	
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)		(L/W ratio > 1.2; L/T ratio = < 1.2) L/T ratio > 1.2; T/W > 1.2)
2, SEED COAT COLOR: (Mature Seed)		
1 1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)		
1 = Duli ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')	
4. SEED SIZE: (Mature Seed)		
1 5 Grams per 100 seeds		
5. HILUM COLOR: (Mature Seed)		
2 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ck 6 = Black 7 = Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)		
1 = Yellow 2 = Green		
7. SEED PROTEIN PEROXIDASE ACTIVITY:		
1 = Low 2 = High		
8. SEED PROTEIN ELECTROPHORETIC BAND:		
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)		
9. HYPOCOTYL COLOR:		-
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	h bronze band below cotyledons (' 'Coker Hampton 266A')	Woodworth'; 'Tracy')
IO. LEAFLET SHAPE:		
3 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)	
5 - Ovate	- Ction (0)/60/19/	

11. L	.EAFL	ET SIZE:	······································					
•	2	1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Mediu	m ('Corsoy 7	'9'; 'Gasoy 17')			
12 1	EAEC	OLOB.			·			
12. (2	OLOR: 1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Mediu	m Green ('Co	prsoy 79'; 'Braxto	2 (542) n ()		
				 		·	·	
13. F	1	R COLOR: 1 = White 2 = Purple	3 = White wit	h purple thro	pat			
14, P	OD CC	LOR:						**.
	1	1 = Tan 2 = Brown	3 = Black			·		
15. P	LANT	PUBESCENCE COLOR:			۲ .			
	1	1 = Gray 2 = Brown (Tawny)						
16. P	LANT	TYPES:						
	2	1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Interm	nediate ('Amo	cor'; 'Braxton')			
17. P	LANT	HABIT:	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·				
	3	1 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pel		Determinate ('Will')			
18. N	IATUR	ITY GROUP:						
0	6	1 = 000 2 = 00 3 = 0 9 = VI 10 = VII 11 = VIII	4 = I 12 = IX	5 = II 13 = X	6 = III	7 = IV	8 = V	
19. D	ISEAS	E REACTION: (Enter 0 = Not Tested; 1 = S	Susceptible: 2 = Re	sistant)				· · · · · · · · · · · · · · · · · · ·
·		RIAL DISEASES:						. •
İ	ا	Bacterial Pustule (Xanthomonas phaseoli va	r. <i>sojensis)</i>				Ÿ.	
	1	Bacterial Blight (Pseudomonas glycinea)						
	0.	Wildfire (Pseudomonas tabaci)						
F	تت	L DISEASES:						
	1	Brown Spot (Septoria glycines)					\$	
•		Frogeye Leaf Spot (Cercospora sojina)						
	0		ce 3	Race 4	Race 5	Other	(Specify)	
	0.	Target Spot (Corynespora cassiicola)		•		······		
	0	Downy Mildew <i>(Peronospora trifoliorum</i> var	. manshurica)					-
	0	Powdery Mildew (Microsphaera diffusa)						
Ì	1	Brown Stem Rot (Cephalosporium gregatum)					•
Ì	0	Stem Canker (Diaporthe phaseolorum yar, ca	aulivora)				ν,	5

FORM LMGS-470-57 (2-82)

19. 'DISEASE RE	ACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 =	Resistant) (Continued)									
FUNGAL	DISEASES: (Continued)										
1 Pod	and Stem Blight (Diaporthe phaseolorum var; sojae)										
1 Purp	le Seed Stain <i>(Cercospora kikuchii)</i>		•								
0 Rhiz	O Rhizoctonia Root Rot (Rhizoctonia solani)										
Phyt	ophthora Rot (Phytophthora megasperma var. sojae)		· .								
1 Race	1 1 Race 2 1 Race 3 1	Race 4 1 Race 5	1 Race 6 1 Race 7								
1 Race	8 1 Race 9 Other (Specify)										
VIRAL DIS	EASES:	•									
O Bud	O Bud Blight (Tobacco Ringspot Virus)										
0 Yello	w Mosaic (Bean Yellow Mosaic Virus)										
0 Cow	ea Mosaic (Cowpea Chlorotic Virus)										
0 Pod N											
0 Seed	Mottle (Soybean Mosaic Virus)										
NEMATOD	E DISEASES:										
Soybean Cyst Nematode (Heterodera glycines)											
1 Race	1 1 Race 2 1 Race 3 1	Race 4 1 Other (S	Specify)								
0 Lance											
OSouth	ern Root Knot Nematode (Meloidogyne incognita)										
Northern Root Knot Nematode (Meloidogyne Hapla)											
	t Root Knot Nematode (Meloidogyne arenaria)										
Renife	orm Nematode (Rotylenchulus reniformis)										
	R DISEASE NOT ON FORM (Specify):										
	<u> </u>										
D. PHYSIOLOGIC	AL RESPONSES: (Enter 0 = Not Tested; 1 = Suscep	otible; 2 = Resistant)									
1 Iron C	htorosis on Calcareous Soil										
Other	(Specify)		·								
I. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)											
0 Mexican Bean Beetle (Epilachna varivestis)											
O Potato Leaf Hopper (Empoasca fabae)											
Other	(Specify)										
. INDICATE WH	CH VARIETY MOST CLOSELY RESEMBLES THA	AT SUBMITTED.									
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY								
Plant Shape	B216	Seed Coat Luster	B216								
Leaf Shape	Cumberland	Seed Size	Williams 79								
Leaf Color	B216	Seed Shape	B216								
Leaf Size	Cumberland	Seedling Pigmentation	В216								
	(a) If I have been a superior of the training of the train	. ■ 1	t a								

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF PLANT DAYS LODGING		CM PLANT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100	NO. SEEDS/
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
Submitted	127	2.5	99	4.5	9.2	40.0	20.4	14.9	2-3
Pella Name of Similar Variety	126	2.1	99	5.0	9.2	37.5	21.0	17.6	2-3

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

EXHIBIT D

Additional Description of the Variety

Soybean variety S30-31 is an early Group III variety maturing about one day later than Pella or five days earlier than Williams 79. S30-31 has excellent seedling emergence, and good field resistance or tolerance of Phytophthora root rot. It has normal levels of tolerance to the herbicides Sencor, Basagran, and Blazer.